

# Flexovit USA Inc

## SAFETY DATA SHEET

### SECTION 1 - Identification of the Product and Company

- 1.1 Product Name** Clean & Strip Discs, Surface Conditioning Discs and Belts
- 1.2 Product Use** Cleaning, Conditioning, Stripping, Sanding, Blending, and Finishing
- 1.3 Company Details:** **Flexovit USA Inc.**
- Address: 1305 Eden-Evans Center Rd.  
Angola, NY 14006
- Phone: 1-716-549-5100
- Fax: 1-716-549-7932

### SECTION 2 - Hazard Information

#### 2.1 Precautionary statements

The product is classified not hazardous according to Reg. 1272/2008/CE and to Dir 67/548/EC

#### 2.2 Description of Hazards

No relevant hazards for human, environment, physical or chemical.

### SECTION 3 - Composition

<u>Ingredient</u>	<u>Formula</u>	<u>% Weight</u>	<u>OSHA Regulated</u>	<u>Cas #</u>
Corundum*	(Al <sub>2</sub> O <sub>3</sub> )	20-60		1344-28-1
Silicon carbide	(CS <sub>i</sub> )	20-60		409-21-2

\* Corundum is a natural form of aluminum oxide; it contains small impurities of iron, magnesium and silica

### SECTION 4-First Aid

- 4.1 First Aid for exposure** Eye contact Rinse opened eye for several minutes under running water and seek immediate medical advise, showing this SDS.
- Skin contact: Remove contaminated clothes. Immediately wash with water and soap and rinse thoroughly.
- Inhalation: Supply fresh air; consult doctor in case of complaints.
- Swallowing: No negative effects in case of swallowing. Drink water and seek immediate medical advise, showing this SDS.

In case of eyes and skin contact, give priority to eyes first aid measures.

#### 4.2 Signs and Symptoms of Exposure

### SECTION 5 - Fire Fighting Measures

- 5.1 Means Of Extinction: CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Unusual Fire or Explosion Hazards:  
Flammable Properties:
- 5.3 Special Fire Fighting Procedures:

### SECTION 6 - Accidental Release Measures

N/A

### SECTION 7- Storage, Handling and Use Procedures

- 7.1 Handling: Avoid direct contact using recommended handling safety equipment (see § 8).  
According to normal use conditions, product does not contain volatile components.
- 7.2 Storage: Keep in cool, dry, ventilated storage in closed original containers. Do not drink or eat near the storage place.

### SECTION 8- Personal Protective Control Measures

#### 8.1 Exposure limits

<u>Chemical</u>	<u>OSHA PEL</u>	<u>TWA</u>
Silicon carbide		15
Corundum		15

#### 8.2 Personal protection requirements and referrals

- Respiratory: In case of brief exposure use respiratory filter device Protection factor: P3
- Ventilation:
- Protective Gloves: For chemical products, according to standard EN374; materials for long contact time
- Eye Protection: Safety goggles or face shield
- Hearing Protection:
- Body Protection: Use protective clothes and protective shoes
- Hygienic Practices:

### SECTION 9- Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity
Vapor Pressure	N/A	Melting Point N/A
Vapor Density (AIR=1)		Evaporation Rate (Butyl Acetate=1)
Solubility in Water	Not soluble	Appearance Solid abrasive material
Lower And Upper Explosion Limits		Odor Odorless
Flammable Limits		Degradation Temperature
Flash Point	N/A	

## SECTION 10 - Stability and Reactivity Data

Stability: Stable in normal handling and storage conditions

Conditions/material to avoid: Keep away from strong oxidizers and electrostatic charges

Dangerous decomposition products: After overheating and drying, thermal decomposition at T>250 celsius can produce dangerous vapours as carbon dioxide, carbide oxide and nitrogen oxides

## SECTION 11 - Toxicological Data

### 11.1 Component information

<u>Chemical</u>	<u>Short term effects</u>	<u>Long term effects</u>	<u>Carcinogen</u>
Corundum	5000 mg/Kg oral rat	N/A	N/A
Silicon Carbide	N/A	N/A	N/A

### 11.2 Route(s) of Entry and symptoms of exposure

See section 4.2

## Section 12-Ecological Information

A I<sub>2</sub>O<sub>3</sub> (Corundum): > 100 mg/l - 96 h, salmo (long time acute toxicity), > 100 mg/l - 48 h, daphnia magna (long time acute toxicity)

Csi (Silicon carbide): not available data

## Section 13-Disposal Considerations

Recovery if possible.

Waste and uncleaned packages must be disposed of in accordance with state and local environmental regulations.

## Section 14-Transport Information

ONU number: N/A

ADR/RID: not regulated (road and railway), ICAO/IATA: not regulated (air transport), IMDG/MO: not regulated (maritime transport)

## Section 15-Regulatory Information

Precautionary statements: (Dir. 67/548/CE) S 22 - Do not breathe dust, S39 - Wear eye/face protection  
(Reg. 1272/2008/CE) P 260 - Do not breathe dust, P 280 - Wear protective gloves/eye/face protection

(Reg. 1272/2008/EC on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006, Product does not contain substances classified carcinogenic cat. 1 or cat. 2)

California Proposition 65: WARNING! You create dust when you cut, sand, drill or grind materials such as wood, paint, cement, masonry or metal. This dust often contains chemicals known to cause cancer, birth defects or other reproductive harm.

## Section 16-Other Information

SDS Revision Date: October 1 2023

Reason for Update: Mandated Update

Preparation By: FlexOvit USA

### COMPANY USE

The information and recommendations set forth herein are taken from sources and references believed to be accurate and complete as of the date hereof. However, FlexOvit USA, Inc makes no expressed or implied warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no

liability to any user thereof.