# Flexovit USA Inc

# **SAFETY DATA SHEET**

#### **SECTION 1 - Identification of the Product and Company**

1.1 Product Name Diamond Cup Wheels, Diamond Blades, and Diamond Core Bits1.2 Product Use Grinding, Blending, Cutting, and Drilling SEE ANSI B7.1-2017

1.3 Company Details: Flexovit USA Inc.

Address: 1305 Eden-Evans Center Rd.

Angola, NY 14006

Phone: 1-716-549-5100 Fax: 1-716-549-7932

#### **SECTION 2 - Hazard Information**

#### 2.1 Precautionary statements

Avoid inhalation of dusts as well as prolonged and repeated contact with skin. Most diamond tools are used along with water to keep blades cool and to decrease airborne contaminants. For dry sawing, maintain adequate ventilation or use local exhaust.

#### 2.2 Description of Hazards

Route of Entry: Inhalation: Yes Route of Entry: Skin: No Route of Entry: Ingestion: No

Long-term overexposure to dusts can lead to respiratory impairment. Dusts from materials being sawed/ground

can cause irritation to eyes, nose, throat, and skin.

|        | SECTION 3 - Composition |                |          |                |           |  |  |  |
|--------|-------------------------|----------------|----------|----------------|-----------|--|--|--|
|        | Ingredient              | <u>Formula</u> | % Weight | OSHA Regulated | Cas #     |  |  |  |
| Cobalt |                         |                | 0-99     | N/A            | 7440-48-4 |  |  |  |
| Coppe  | r                       |                | 0-80     | N/A            | 7440-50-8 |  |  |  |
| Tin    |                         |                | 0-20     | N/A            | 7440-31-5 |  |  |  |
| Nickel |                         |                | 0-60     | N/A            | 7440-02-0 |  |  |  |
| Manga  | anese                   |                | 0-5      | N/A            | 7439-96-5 |  |  |  |
| Tungs  | ten                     |                | 0-30     | N/A            | 7440-33-7 |  |  |  |

#### **SECTION 4-First Aid**

#### 4.1 First Aid for exposure

Eyes: Flush with plenty of water. Do not rub eyes. If particles penetrate or become lodged in eye, do not

attempt to remove. Cover both eyes to prevent natural movement. Obtain medical attention.

Skin: If irritation or rash occurs, remove contaminated clothing and shoes immediately. Wash with soap

and water. Seek medical attention.

Inhalation: Remove from exposure area to fresh air. If breathing has stopped, perform emergency respiratory

resuscitation. Get medical attention.

### 4.2 Signs and Symptoms of Exposure

Acute: Irritation, coughing, wheezing, shortness of breath

Chronic: Respiratory conditions

#### **SECTION 5 - Fire Fighting Measures**

5.1 Means Of Extinction: N/A
 5.2 Unusual Fire or Explosion Hazards: N/A
 Flammable Properties: N/A
 5.3 Special Fire Fighting Procedures: N/A

#### **SECTION 6 - Accidental Release Measures**

N/A

# **SECTION 7- Storage, Handling and Use Procedures**

**7.1** Handling: Maintain good housekeeping practices to prevent accumulation of dust.

7.2 Storage: Store blades and wheels in a dry location.

# **SECTION 8- Personal Protective Control Measures**

# 8.1 Exposure limits

| Chemical  | OSHA PEL                        | ACGIH TLV                   |
|-----------|---------------------------------|-----------------------------|
| Cobalt    | 0.05mg/CUM                      | 0.05mg/CUM                  |
| Copper    | 0.1mg(cu)/m <sup>3</sup> (FUME) | 0.2mg/m <sup>3</sup> (FUME) |
| Tin       | 2mg/CUM                         | 2mg/CUM                     |
| Nickel    | 1mg/CUM                         | 0.05mg/CUM IC               |
| Manganese | 5mg/CUM                         | 5mg/CUM (DUST)              |
| Tungsten  | 5mg/CUM                         | 5mg/CUM                     |

#### 8.2 Personal protection requirements and referrals

Respiratory: Wear NIOSH approved respirator to maintain exposure below recommended limits and when

dust and fumes cannot be controlled.

Ventilation: Natural/mechanically induced fresh air movements that maintain vapor levels below

recommended exposure limits.

Protective Gloves: None normally required.

Eye Protection: Goggles, safety glasses with side shields.

Hearing Protection: No applicable information found.

Body Protection: No applicable information found.

Hygienic Practices: Practice good hygiene.

#### **SECTION 9- Physical/Chemical Characteristics**

Boiling Point N/A Specific Gravity 7.8-12.4

Vapor Pressure (mm Hg.) N/A Melting Point 1166-2192F

 Vapor Density
 (AIR=1)
 N/A
 Evaporation Rate (Butyl Acetate=1)
 N/A

 Solubility in Water
 Insoluble
 Appearance
 Solid

 Lower And Upper Explosion Limits
 N/A
 Odor
 No odor

 Flammable Limits
 N/A
 Degradation Temperature
 N/A

Flash Point N/A

#### **SECTION 10 - Stability and Reactivity Data**

Stability: Yes

Conditions to Avoid: No applicable information found Material to Avoid: No applicable information found

Hazardous Decomposition or Byproducts: None expected Hazardous Polymerization: Will not occur

#### **SECTION 11 - Toxicological Data**

#### 11.1 Component information

| Chemical  | Short term effects                    | Long term effects | Carcinogen |
|-----------|---------------------------------------|-------------------|------------|
| Cobalt    | Respiratory irritation                |                   | N          |
| Copper    | Nose, throat and skin irritation      |                   | N          |
| Tin       | Eye, skin, and respiratory irritation |                   | N          |
| Nickel    | Respiratory irritation                |                   | Υ          |
| Manganese | Headache                              |                   | N          |
| Tungsten  | Respiratory irritation                |                   | N          |

# 11.2 Route(s) of Entry and symptoms of exposure

See section 4.2

# **Section 12-Ecological Information**

No applicable information found.

# **Section 13-Disposal Considerations**

May generally be disposed of in a landfill. Follow federal, state, and local environmental regulations.

#### **Section 14-Transport Information**

No applicable information found.

# Section 15-Regulatory Information

California Proposition 65: WARNING! You create dust when you cut, sand, drill or grind materials such as wood, paint, cement, masonry or metal. This dust often contains chemicals known to cause cancer, birth defects or other reproductive harm.

# Section 16-Other Information

SDS Revision Date: October 1 2023

Reason for Update: Mandated Update

Preparation By: FlexOvit USA

#### **COMPANY USE**

The information and recommendations set forth herein are taken from sources and references believed to be accurate and complete as of the date hereof. However, FlexOvit USA, Inc makes no expressed or implied warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.